

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),

Printing date: 06.06.2018 and US GHS Revision: 06.06.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier Carborex, Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6

SK, FP 4, FP 12, 54F, Crude

GHS Product Identifier Carborex, Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6

SK, FP 4, FP 12, 54F, Crude Mixture (Silicon Carbide)

Chemical Name Mixture (Silicon Carbid
Trade Name See Product Identifier
CAS No. 409-21-2

CAS No. 409-21-2 **EINECS No.** 206-991-8

REACH Registration No. 01-2119402892-42-0012

1.2 Relevant Identified Uses Of The Substance Or Mixture And Uses Advised Against

Identified Use(s) Consult the supplier.

Uses Advised Against Users are recommended to seek further advice.

1.3 Details Of The Supplier Of The Safety Data Sheet
Company Identification
Address

Washington Mills
1801 Buffalo Avenue

Niagara Falls, NY 14302

Telephone 1-800-828-1666

E-Mail (Competent Person) info@washingtonmills.com

REACH Registration Company Information

Company Identification WASHINGTON MILLS ELECTRO MINERALS LTD.

Address MOSLEY ROAD, TRAFFORD PARK

Postal Code/Location MANCHESTER M17 1NR, UNITED KINGDOM

Telephone 0044 (0)161 848 0271 Fax 0044 (0)161 872 2974

Further information obtained from:

Telephone + 0044 (0)161 873 5512

E-Mail (expert) <u>clive.wood@washingtonmills.co.uk</u>

1.4 Emergency Telephone Number – ChemTel

(800)255-3924 (USA/Canada), 813-248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification Of The Substance Or Mixture: Silicon carbide is not contributing to the hazard

classification of the product. Quartz is the hazard determining component. Restricted to professional users.

2.1.1 Classification according to Regulation (EC) No. 1272/2008 (CLP)

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Hazard Pictogram(s)



GHS08 Health hazard

Carc. 1A H350: May cause cancer. Route of exposure: Inhalative.

2.2 Label Elements: No external labeling requirements for SiC, SDS label requirement on SDS only is based on Quartz component.

2.2.1 Label Elements According to Regulation (EC) No. 1272/2008 (CLP)

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The substance is classified and labelled according to the CLP regulation.

Hazard Signal Pictogram(s) GHS08 Word(s) DANGER

Hazard-determining components of labelling: Quartz (SiO2)

Hazard H350: May cause cancer. Route of exposure: Inhalative.

Statement(s)

Precautionary P281: Use personal protective equipment as required.

Statement(s) P202: Do not handle until all safety precautions have been read and understood.

P308 + P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/containers in accordance with

local/regional/national/international regulations.

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

Hazard description:

NFPA ratings (scale 0 - 4)

Printing date: 06.06.2018



Health = 1 Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *1Fire = 0Reactivity = 0

* - Indicates a long term health hazard from repeated or prolonged exposures.

Revision: 06.06.2018

HMIS Long Term Health

Hazard

14808-60-7

Quartz (SiO2)

Substances 2.3 Other Hazards

> Results of PBT PBT: Not applicable. and vPvB vPvB: Not applicable.

assessment

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

CAS No. Description: 409-21-2 silicon carbide

Identification number(s) EC number: 206-991-8 **Dangerous Components:**

Hazardous Ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard Pictogram(s) and Hazard Statement(s)
Quartz (SiO2)	<0,5	14808-60-7	238-878-4	NA	3.6/1A H350

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures 4.1

> **General Information:** Take affected persons out into the fresh air.

Provide oxygen treatment if affected person has difficulty breathing. Supply fresh After Inhalation:

air; consult doctor in case of complaints.

After Skin Contact: Brush off loose particles from skin. If skin irritation is experienced, consult a doctor.

Wash with soap and water.

After Eye Contact: Remove contact lenses if worn. Rinse opened eye for several minutes under

running water. If symptoms persist, consult a doctor.

After Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for

medical help immediately.

4.2 **Most Important**

> **Symptoms And Effects, Both Acute And Delayed**

Slight irritant effect on eyes. Slight irritant effect on skin and mucous membranes. Breathing difficulty. Coughing.

Hazards

May cause cancer. Route of exposure: Inhalative. Route of exposure: Inhalative.

4.3 **Indication Of The Immediate Medical**

Attention And Special Treatment Needed

No further relevant information available.

Page: 2/7

SECTION 5: FIRE-FIGHTING MEASURES

5.1 **Extinguishing Media** Suitable Extinguishing Use fire extinguishing methods suitable to surrounding conditions.

Media

Safety data sheetAccording to 1907/2006/EC (REACH), 1272/2008/EC (CLP),

Printing date: 06.06.2018 Revision: 06.06.2018 and US GHS Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

Unsuitable Extinguishing None. Media 5.2 **Special Hazards Arising** No further relevant information available. From The Substance Or **Mixture** 5.3 **Advice for Fire-Fighters** Wear self-contained respiratory protective device. Wear fully protective suit. No further relevant information available. **Additional Information**

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions,	Ensure adequate ventilation. Avoid formation of dust. For large spills,
	Protective Equipment And	use respiratory protective device against the effects of
	Emergency Procedures	fumes/dust/aerosol. For large spills, wear protective clothing.
6.2	Environmental Precautions	Do not allow to enter sewers/ surface or ground water.
6.3	Methods And Material For	Pick up mechanically. Dispose contaminated material as waste
	Containment And Cleaning Up	according to item 13. Send for recovery or disposal in suitable receptacles.
6.4	Reference To Other Sections	See Section 7 for information on safe handling.
		See Section 8 for information on personal protection equipment.
		See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

	Dunganitiana Fau O-f-	Description of dust Describe described districts
	Precautions For Safe	Prevent formation of dust. Do not dry clean dust covered objects and floors. Wash
7.1	Handling	thoroughly with plenty of water. Any unavoidable deposit of dust must be regularly
		removed. Use only in well ventilated areas.
	Information About	No special measures required.
	Fire - and explosion	·
	protection	
7.2	•	torage, Including Any Incompatibilities:
	Requirements to be	No special requirements.
	Met by Storerooms	
	and Receptacles:	
	Information About	Store away from oxidizing agents. Store away from foodstuffs.
	Storage in One	g again and any a contract of
	Common Storage	
	Facility:	
	Further information	None.
	about storage	None.
	conditions:	
7.3	Specific End Use(s)	No further relevant information available.
1.3	Specific End Use(s)	NO TUITITIEL TELEVATIT ITHOTHALION AVAILABLE.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information 8.1 Control Para		ign of technical	facilities: No further data; see item 7.
Ingredients with lim	nit values that req	uire monitoring at	the workplace:
		PEL (USA)	Long-term value: 15*; 15** mg/m³ Fibrous dust: *total dust; ** respirable fraction
		REL (USA)	Long-term value: 10* 5** mg/m³ *Total dust **Respirable fraction
Silicon carbide	409-21-2	TLV (USA)	Long-term value: 10* 3** mg/m³ Fibrous dust: 0,1 f/cc; nonfibrous: *inh., **resp.
		EL (Canada)	Long-term value: 10* 3** mg/m³ *inhalable; **respirable
		EV (Canada)	Long-term value: 10* 3** mg/m³, 0,1 f/cc*** ppm nonfibrous: *inh., **resp.; ***fibrous, resp.
Quartz (SiO2)	14808-60-7	PEL (USA)	See Quartz listing

Safety data sheet
According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

Carbolex C-0, Nulliber T RF, RA, W3C, G-21, G21F, C-0 HBD, C-0 LBD, C-0 3R, FF 4, FF 12, 34F, Crude (Gee Fage 1)					
	REL (USA)	Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A			
	TLV (USA)	Long-term value: 0,025* mg/m³ *as respirable fraction			
	EL (Canada)	Long-term value: 0,025 mg/m³ ACGIH A2; IARC 1			
	EV (Canada)	Long-term value: 0,10* mg/m³ *respirable fraction			

DNELs No further relevant information available. PNECs No further relevant information available.

Printing date: 06.06.2018

Additional information: The lists valid during the making were used as basis.

Gene	eral protective and Exposure Contro	
8.2.2	Personal Protect	
0.2.2	General protective and hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals. Immediately remove all soiled and contaminated clothing. Do no inhale dust / smoke / mist. Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.
	Respiratory Protection	Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.
	Eye Protection	Wear safety glasses.
	Protection of Hands	Wear protective gloves.
	Body Protection	Not required under normal conditions of use. Protection may be required for spills.
	Limitation and supervision of exposure into the environment	No further relevant information available.
	Risk Management Measures	No further relevant information available. See Section 7 for additional information.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information On Basic	Physical And Chemical	Properties	
	Appearance	Granulate	Color	Black
	Odor	Odorless	Odor Threshold (ppm)	Not available
	Melting Point (°C) / Freezing Point (°C)	Not available	Boiling Point/Boiling Range (°C)	Not available
	Flash Point (°C)	No Data	Explosive Limit Ranges	Not available
	Auto Ignition Temperature (°C)	Not available	Decomposition Temperature (°C)	Not available
	Explosive Properties	None	Oxidizing Properties	Not available
	Flammability (Solid, Gas)	Not available	Ph (Value)	Not available
	Evaporation Rate	N/A	Vapor Pressure (mm Hg)	Not available
	Vapor Density (Air=1)	N/A	Density (g/ml)	3.19 g/cm ³
	Solubility (Water)	Insoluble	Solubility (Other)	Not available
	Partition Coefficient (N- Octanol/Water)	Not available	Viscosity (mPa.s)	Not available
9.2	Other Information	Volatile Organic Chemica	al (VOC) Content – Not Available.	

Revision: 06.06.2018

According to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Chemical Stability 10.2

Printing date: 06.06.2018

Thermal Decomposition / conditions No decomposition if used according to specifications.

to be avoided:

10.3 **Possibility of Hazardous Reactions** Reacts with strong alkali. Reacts with strong oxidising agents.

10.4 **Conditions To Avoid** No further relevant information available. 10.5 **Incompatible Materials** No further relevant information available.

10.6 **Hazardous Decomposition Product(s)** Possible in traces.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 **Information on Toxicological Effects**

Acute toxicity:

Primary Irritant Effect:

On the skin: Slight irritant effect on skin and mucous membranes.

On the eye: Slight irritant effect on eyes. Sensitisation: No sensitizing effects known.

Additional toxicological

information:

May cause cancer. Route of exposure: Inhalative.

Acute effects (acute toxicity, Irritating if inhaled, causing symptoms of coughing and irritation, and corrosivity): shortness of breath.

Repeated dose toxicity: May cause damage to organs through prolonged or repeated

exposure. Repeated exposures may result in skin and/or

Revision: 06.06.2018

respiratory sensitivity.

CMR effects (carcinogenity,

mutagenicity, and toxicity for

reproduction):

SECTION 12: ECOLOGICAL INFORMATION

Carc. 1A

Toxicity 12.1 No data

Aquatic toxicity: No further relevant information available. Persistence and Degradability 12.2 No further relevant information available. **Bioaccumulative Potential** 12.3 No further relevant information available. 12.4 **Mobility in Soil** No further relevant information available.

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment):

> slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Danger to drinking water if even small quantities

leak into the ground. Results of PBT and vPvB

12.5 **PBT:** Not applicable. Assessment vPvB: Not applicable.

12.6 **Other Adverse Effects** No further relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 **Waste Treatment Methods** Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant

WASHINGTON MILLS

Safety data sheetAccording to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and US GHS

Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

and disposal for hazardous and nonhazardous wastes. Residual materials

Revision: 06.06.2018

should be treated as hazardous.

Uncleaned Packaging:

Printing date: 06.06.2018

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

Land Transport (ADR/RID)	(c)(d)	Land Transport (Within U	JSA) (b)(d)
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None
Hazard Label(s)	None	Hazard Label(s)	None
Environmental Hazards	None	Environmental Hazards	None
Special Precautions For User	None	Special Precautions For User	None
Sea Transport (IMDG) (c)		Air Transport (ICAO/IATA) (c) (d)
UN Number	None	UN Number	None
Proper Shipping Name	Not classified as dangerous for transport.	Proper Shipping Name	Not classified as dangerous for transport.
Transport Hazard Class(es)	None	Transport Hazard Class(es)	None
Packing Group	None	Packing Group	None
Marine Pollutant	None	Marine Pollutant	None
Special Precautions For User	None	Special Precautions For User	None
•		•	

- (b)- ORM-D may be applicable within the USA for package sizes less than 30kg.
- (c)- Consult with transport provider.
- (d)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

Safety, Health And Environmental Regulations/Legislation Specific For The Substance Or Mixture				
USA				
SARA				
Section 355 (extremely hazardous substances)	Substance is not listed.			
SARA 313 (Specific toxic chemical listings)	Substance is not listed.			
TSCA (Toxic Substance Control Act)	Substance is listed.			
Proposition 65 (California):				
Chemicals known to cause cancer:	14808-60-7 Quartz (SiO2)			
Chemicals known to cause reproductive toxicity for females:	Substance is not listed.			
Chemicals known to cause reproductive toxicity for males:	Substance is not listed.			
Chemicals known to cause developmental toxicity:	Substance is not listed.			
Carcinogenic Categories				
EPA (Environmental Protection Agency)	Substance is not listed.			
IARC (International Agency for Research on Cancer)	14808-60-7 Quartz (SiO2) 1			
TLV (Threshold Limit Value established	409-21-2 silicon carbide A	۱2		
by ACGIH)	14808-60-7 Quartz (SiO2) A	۱2		
MAK (German Maximum Workplace	409-21-2 silicon carbide 2	<u> </u>		
Concentration)	14808-60-7 Quartz (SiO2) 1			



According to 1907/2006/EC (REACH), 1272/2008/EC (CLP),

Printing date: 06.06.2018 Revision: 06.06.2018 and US GHS Carborex C-6, Number 1 RF, RA, WSC, G-21, G21P, C-6 HBD, C-6 LBD, C-6 SK, FP 4, FP 12, 54F, Crude (See Page 1)

NIOSH-Ca (National Institute for 14808-60-7 Quartz (SiO2) Occupational Safety and Health) Canada Canadian Domestic Substances List (DSL) Substance is listed. Canadian Ingredient Disclosure list (limit Substance is not listed. 0.1%) Canada Ingredient Disclosure list (limit 1%) Substance is not listed. Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) Substance is not listed. according to REACH, Article 57

SECTION 16: OTHER INFORMATION

A Chemical Safety Assessment has not been carried out.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Additional information:

- The accumulation of airborne dust particles may lead to health and safety risks in some cases. The use of good industrial practices will mitigate this risk.
- The health risks from inhalation of dust particles vary; this is due to particle concentration, exposure length, number of exposures and type of particles inhaled. Please read Section 2,4,6,7 and 8 of the SDS to understand these potential risks. Wear personal protective equipment and follow storage and handling procedures to maintain a safe workplace.
- In rare instances, combustible dusts may represent a potential explosion hazard when airborne. This hazard is often associated with organic dust such as foodstuffs and coal, but may also occur with mineral products. While the majority of our products would be considered non-combustible, the overall airborne environment should be considered when determining the need for mitigation from the potential hazard. Consult recognized experts when necessary in order to determine any possible hazard.

Please read the SDS for specific information concerning these hazards, and contact us with any further questions. We appreciate your continued business.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

Chemical Safety Assessment

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstract Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

15.2

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com